

**ecom**

MOBILE SAFETY

ZONE 1/21, DIV. 1

ZONE 2/22, DIV.2

ZONE 1/21, DIV. 1

ZONE 2/22, DIV.2

Smart-Ex<sup>®</sup> 01 & Ex-Handy 09

**DELIVERING MOBILITY**  
IN HAZARDOUS AREAS

# Smart-Ex<sup>®</sup> 01



ZONE 1 / 21, ZONE 2 / 22

CLASS I / DIV 1

CLASS I / DIV 2

## Intrinsically Safe Smartphone **Smart-Ex<sup>®</sup> 01** THE LATEST HIGH END PRODUCT IN THE RANGE OF MOBILE COMMUNICATION

### RANGE OF FUNCTIONS

- 4G / LTE-standard
- Android™ 4.4 (Kitkat) - Latest Android operating system
- 4.0" capacitive multi-touch screen made of extreme shock and scratch resistant Gorilla Glass® 2
- Glove Touch Screen
- High Visibility Display in Direct Sunlight
- 8 MP rear camera with auto focus and LED flash with torchlight function and 1 MP front camera (optional)
- 3600 mAh Li-Ion battery pack
- Bluetooth® 4.0 incl. BLE (Bluetooth Low Energy) BLE (30 times faster, 1/100th of power)
- WIFI 802.11 a/b/g/n
- 5-pins water-proof magnetic USB 2.0 High Speed connector
- IP68 - Dust proof, water proof
- Push-to-talk (App solution)
- Lone Worker Protection (App solution)
- Optional Service Level Agreement (SLA)

# EXPERIENCE THE SMART-EX® 01 SMARTPHONE

ZONE 1/21. DIV. 1

ZONE 2/22. DIV. 2



## CERTIFICATION

**ATEX**



Ⓢ II 2 G Ex ib IIC T4 Gb IP64

Ⓢ II 2 D Ex ib IIIC T135°C Db IP6X

**IECEX**



Ex ib IIC T4 Gb IP64

Ex ib IIIC T135°C Db IP6X

**NEC &  
CEC**



Class I, Division 1, Groups A-D T4

Class II & III, Div. 1, Groups E-G T4

### SERVICE LEVEL AGREEMENT (OPTIONAL)

With the optional SLA, for full three years warranty, all new ecom mobile phones enables „total cost of ownership certainty“ and demonstrate the confidence in terms of product quality and reliability.

ecom will guarantee free repairs including all spare and worn parts (except batteries) with a five-day turnaround.



# Smart-Ex<sup>®</sup> 01

## ANDROID™ 4.4 (KIT KAT®) - LATEST ANDROID OPERATING SYSTEM

ANDROID™ 4.4 enables this intrinsically safe device to be used in hazardous areas without any compromises compared to conventional Smartphones:

- Collaborative Working
- Audits & Inspection
- Operator rounds
- Asset Tracking
- Monitoring
- Process Automation
- Indoor/ Outdoor Tracking & Navigation
- Safety / Security
- Man Down - Lone Worker Protection
- Push to talk



## 4.0" CAPACITIVE MULTI-TOUCH SCREEN

Made of extreme shock and scratch-resistant Gorilla Glass® 2, the large display increases the workers productivity due to the larger work surface. The brightness, sharpness and resolution is much more easier on the eyes. Whether wearing gloves or having wet fingers, the multi-touch display is always easy and exact to use.

Google Play Store certification cleans the way for more than 700,000 software applications. The FOTA (Firmware Over The Air) ability keeps the device everytime up to date. Just as you're used to it with your private Smartphone.

## WORKER SAFETY WITH SMART-EX 01

An ultra-rugged, LTE/ WiFi/ Android Smartphone, the Smart-Ex® 01 comes with unrivalled features:

- Such as a touch screen that can be viewed in direct sunlight and easily used with dirty or wet work gloves.
- An extremely loud speaker, noise cancellation, a powerful battery, water and drop resistance and an optional 3-Year Service Level Agreement are just some features of the Smart-Ex® 01 that provide peace of mind to enterprises and workers alike.
- Access to productivity applications and worker safety as well as a full suite of industrial-grade accessories completes the solution.
- In extreme and often dangerous working environments where every step is critical, you don't settle for less than the best – Smart-Ex® 01.




# MAKE ALL THE DIFFERENCE

## ALSO AVAILABLE

<p><b>ZONE 1/21. DIV. 1</b></p> <p><b>EX-HANDY 09</b></p> <p><b>ZONE 2/22. DIV.2</b></p>  <p><b>SLA + Lone Worker Protection (optional)</b></p> <ul style="list-style-type: none"> <li>• Android™ 4.4 Kitkat®</li> <li>• Keypad + Touchscreen</li> <li>• 4G LTE</li> <li>• Weight: approx. 330g</li> </ul>	<p><b>ZONE 1/21. DIV. 1</b></p> <p><b>EX-HANDY 08</b></p> <p><b>ZONE 2/22. DIV.2</b></p>  <p><b>NQA + Lone Worker Protection (optional)</b></p> <ul style="list-style-type: none"> <li>• Nucleus</li> <li>• Keypad</li> <li>• 3G UMTS</li> <li>• Weight: approx. 200g</li> </ul>
---	--

For more information: see page 8



## SCOPE OF DELIVERY

- Smart-Ex® 01
- Li-Ion battery 3600mAh (built-in)
- Charger TC S01
- Safety Box SB S01
- Belt Clip BC S01
- Needle (for opening SIM Slot)
- Documentation

# Smart-Ex<sup>®</sup> 01

## TECHNICAL DATA

### CORE PLATFORM / FUNCTIONS

Operating System	Android 4.4
Chipset	MSM8926 1.2 GHz Quad core
Band	4G / LTE-Standard EU: B1, B3, B7, B8, B20, B38 (TDD)                      Quad Band UMTS 850 / 900 / 1900 / 2100 MHz US: B1, B2, B3, B4, B5, B7, B8, B12, B14, B17              Quad Band GSM 850 / 900 / 1800 / 1900 MHz
Antenna	MIMO Antenna for LTE
WiFi	802.11 a / b / g / n Dual-band, WiFi Direct, WiFi Hotspot
Memory	16GB Internal Storage / 1GB RAM
User memory	12GB
Applications	Google Play

### CONNECTIVITY

Bluetooth SMS, MMS (text, image, audio, video)	BT4.0 / BLE (Low Energy) Support SMS and MMS
GPS, NFC	GPS, GLONASS, NFC
Languages supported	Arabic, Simplified Chinese, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Norwegian, Persian, Polish, Portuguese, Romanian, Russian, Spanish, Swedish, Turkish
Email Client	EAS, Gmail, POP3, IMAP
Capacity (mAh)	3600 mAh
Battery Life	Up to 1000 hours Stand by, up to 40 hours talk time

### PHYSICAL CHARACTERISTICS

Ambient temperature	-20°C.....+55°C
Protection class	IP68
Size	137 mm x 72.1 mm x 26.9 mm (5.39" x 2.54" x 1.05")
Weight	Approx. 380 g
Certifications	FCC, PTCRB, IEEE1725, CEC, Bluetooth SIG, WFA, IC
Dedicated Keys	PTT key / Alarm key / Power key
Ports	3.5 mm Audio Connector / Magnetic USB Connector plug

DISPLAY	
Size	4.0 inch
Type	Corning Gorilla® Glass 2 with Glove Touch, Blanview Display
Resolution	WVGA (480x800)
Outdoor Visibility	Yes
Capacity	16.7 M color
Audio	
Microphone	Dual Mic Solution with Noise Cancellation
Speaker	19 mm Loud Speaker with Gore® Protective Vents, Output up to 103 dB
MULTIMEDIA	
Audio Formats	MP3, WMA 9, AAC, ACC+, eAAC+, AMR-NB/WB
Video Formats	Support AVI, MP4, 3GPP
Media Player	Android native + GMS
FM Radio	Yes
Camera	8 MP auto focus rear, 1 MP fixed focus front
LED torch light	Yes

## OPTIONAL ACCESSORIES / PERIPHERAL DEVICES

- Car charger
- Leather case
- Leather holster
- Single-bay desktop charger
- 4-bay desktop charger
- USB connector plug
- Stylus
- IS headset „ComCom Ex“
- IS in-ear noise reduction headset „Serenity SPC Ex“
- Bluetooth Remote Speaker Mic “Ex-RSM Aurelis BT“
- Non-IS stereo headset

# Ex-Handy 09



## Intrinsically Safe Mobile Phone **Ex-Handy 09**

ZONE 1 / 21, ZONE 2 / 22 , CLASS I / DIV 1, CLASS I / DIV 2

### **RANGE OF FUNCTIONS**

- Touch Screen and Numeric Keypad
- High Visibility Display in Direct Sunlight
- 4G LTE
- Android™ 4.4 Kit Kat®
- Wifi 802.11 a/b/g/n with hotspot feature
- Long Battery Life
- Glove usability
- Powerful Audio
- Protection from micro particles
- Waterproof
- Shock / Vibration Resistant
- Temperature Resistant
- Resistant to extreme pressure
- Puncture resistant
- Resistant to oils and chemicals
- Optional Service Level Agreement (SLA)



# EXPERIENCE THE EX-HANDY 09 MOBILE PHONE

## CERTIFICATION

### ATEX



⊕ II 2 G Ex ib IIC T4 Gb IP64  
⊕ II 2 D Ex ib IIIC T135°C Db IP6X

### IECEX



Ex ib IIC T4 Gb IP64  
Ex ib IIIC T135°C Db IP6X

### NEC & CEC



Class I, Division 1, Groups A-D T4  
Class II & III, Div. 1, Groups E-G T4

ZONE 1/21, DIV. 1

ZONE 2/22, DIV. 2



**SLA +  
Lone Worker  
Protection  
(optional)**

## OPTIONAL ACCESSORIES / PERIPHERAL DEVICES

- Car charger
- Leather case
- Leather holster
- Single-bay desktop charger
- 4-bay desktop charger
- USB connector plug
- Stylus
- IS headset „ComCom Ex“
- IS in-ear noise reduction headset „Serenity SPC Ex“
- Bluetooth Remote Speaker Mic “Ex-RSM Aurelis BT”
- Non-IS stereo headset

## SCOPE OF DELIVERY

- Ex-Handy 09
- Li-Ion battery 3600mAh (built-in)
- Charger TC S01
- Safety Box SB S01
- Belt Clip BC H09
- Needle (for opening SIM Slot)
- Documentation

# EX-Handy 09

## TECHNICAL DATA

### CORE PLATFORM / FUNCTIONS

Operating System	Android 4.4
Chipset	MSM8926 1.2 GHz Quad core
Band	4G / LTE-Standard EU: B1, B3, B7, B8, B20, B38 (TDD)                      Quad Band UMTS 850 / 900 / 1900 / 2100 MHz US: B1, B2, B3, B4, B5, B7, B8, B12, B14, B17              Quad Band GSM 850 / 900 / 1800 / 1900 MHz
WiFi	802.11 a / b / g / n Dual-band, with Hotspot feature
Memory	8GB Internal Storage / 1GB RAM
User memory	4GB
Applications	Google Play

### CONNECTIVITY

Bluetooth SMS, MMS (text, image, audio, video)	BT4.0 / BLE (Low Energy) Support SMS and MMS
GPS, NFC	GPS, GLONASS
Languages supported	Arabic, Simplified Chinese, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Norwegian, Persian, Polish, Portuguese, Romanian, Russian, Spanish, Swedish, Turkish
Email Client	EAS, Gmail, POP3, IMAP
Capacity (mAh)	3600 mAh
Battery Life	Up to 1000 hours Stand by, up to 40 hours talk time

### PHYSICAL CHARACTERISTICS

Ambient temperature	-20°C.....+55°C
Protection class	IP68
Size	137 mm x 65 mm x 26.9 mm (5.39" x 2.54" x 1.05")
Weight	Approx. 330 g
Dedicated Keys	PTT key / Alarm key / Power key
Ports	3.5 mm Audio Connector / Magnetic USB Connector plug

DISPLAY	
Size	2.6 inch
Type	Corning Gorilla® Glass 2 with Glove Touch, Blanview Display
Resolution	432 x 320
Outdoor Visibility	Yes
Capacity	16.7 M color
Audio	
Microphone	Dual Mic Solution with Noise cancellation
Speaker	19 mm Loud Speaker with Gore® Protective Vents, Output up to 103 dB
MULTIMEDIA	
Audio Formats	MP3, WMA 9, AAC, ACC+, eAAC+, AMR-NB/WB
Video Formats	Support AVI, MP4, 3GPP
Media Player	Android native + GMS
FM Radio	Yes
LED torch light	Yes

## EMEA

### Germany (Headquarters) <sup>1</sup>

ecom instruments GmbH  
Industriestraße 2  
97959 Assamstadt  
Phone +49 62 94 42 24-0  
Fax +49 62 94 42 24-100  
sales@ecom-ex.com  
<sup>1</sup> also covering Austria

### Benelux <sup>2</sup>

ecom instruments BV  
Watertoren 45c  
3247 CL Dirksland, Netherlands  
Phone +31 1 87 60 59 16  
Fax +31 1 87 60 33 47  
info.nl@ecom-ex.com  
<sup>2</sup> also covering Belgium and Luxembourg

### France <sup>3</sup>

ecom Nied sarl  
4 Rue Ettore Bugatti  
67201 Eckbolsheim  
Phone +33 3 88 76 46 84  
Fax +33 3 88 76 02 85  
info.fr@ecom-ex.com  
<sup>3</sup> also covering Algeria, Egypt, Morocco,  
Tunisia and Libya

### Italy

ecom instruments srl  
Via Gandhi, 15 Galleria  
20017 Rho (MI)  
Phone +39 02 93 90 92 16  
Fax +39 02 93 90 62 97  
info.it@ecom-ex.com

### Switzerland

ecom instruments GmbH  
Merkurstraße 2  
6210 Sursee  
Phone +41 4 19 21 60 00  
Fax +41 4 19 22 00 08  
info.ch@ecom-ex.com

### United Kingdom

ecom instruments Ltd.  
A310, The Wilton Centre,  
Redcar, TS10 4RF,  
United Kingdom  
Phone +44 1642 46 54 00  
Fax +44 1642 46 54 02  
info.uk@ecom-ex.com

### Middle East

ecom instruments fze  
P.O. Box 8918  
Saif-Zone, Sharjah, UAE  
Phone +971 6 5 57 34 30  
Fax +971 6 5 57 34 31  
info.uae@ecom-ex.com

## Americas

### USA

ecom instruments Inc.  
1779 Westborough Drive, Suite 102  
Katy, Texas 77449  
Phone +1 281 496 59 30  
Fax +1 281 496 23 21  
info.us@ecom-ex.com

## Asia

ecom instruments (SEA) Pte Ltd.  
12 Arumugam Road  
#05-11 Lion Building B  
Singapore 409958  
Phone +65 61 00 33 29  
Fax +65 63 99 33 29  
info.sg@ecom-ex.com

